

APD 275 A

Aksa
Aksa

D+' &'



SZUTEST

GC - \$\$%

2000/14/EC

&\$\$\$(/ #

z) \$' z' \$z' D:

	"	"	"	"	Amp
400/230	275,00	220,00	250,00	200,00	361,00

fPGL'

'GC') &

) & z

fDF DL'

% %&

'GC' \$(**

z&(

'GC

Standard Specifications

z

fl

!

z

z

ALTERNATOR

TRANSFER SWITCH

APD 275 A

Aksa
Aksa D+' &'



Manufacturer		Aksa
Model		A6CRX97TI
		% \$ \$ " # "
		& % Z \$ \$ " "
		Q - ' Z \$ < DQ
	L	9,726
	"	126 X 130
		16,5:1
	fl # ı	"# " 1500
	fl "ı	L 24,00
		L 68,00
Absorbed Air Discharge ReSource Key.Text	' # "	13,50
	' # "	38,90
	° C	490,00
		24 V d.c.
	Load	% \$ \$ı
	# "	
		58,20

		Aksa
		AK4200
	Hz	50
	"	200,00
7 cg'		0,80
		3
	fl ı	400/230
	A	288,00

		fl "ı		fl "ı	
	"	"	"	"	L
APD 275 A	2645,00	2900,00	1400,00	2045,00	526,00
		fl "ı		fl "ı	
	"	"	"	"	L
APD 275 A	3080	3918	1463	2163	526



