

# AJD 275

John Deere  
Mecc Alte  
D+ &



ISO8528

GC ; ) &

SZUTEST

GC - \$\$\$



2000/14/EC

& \$\$\$ # ( #

z) \$ z' z' D:

	"	kw	"	kw	Amp
400/230	275,00	220,00	250,00	200,00	361,00

fP GDE

GC ; ) &

) & z

fDF DE

%\$!

%

%&

GC " \$(\*\*

z&(

GC

## Standard Specifications

ALTERNATOR

TRANSFER SWITCH

# AJD 275

John Deere  
Mecc Alte  
D+' &''

Manufacturer		John Deere		
Model		6088HFG55		
		%\$\$' "# "		
		250,00 kw [355,00HP]		
	L	6,800		
	"	106x127		
		17,2:1		
	fl # ı	"# "	1500	
	fl ı	L	33,00	
		L	31,20	
AbsorbedAirDischargeReSourceKey.Text	' # "	14,50		
	' # "	301,00		
	' # "	37,30		
	° C	523,00		
		12 V d.c.		
	Load	%\$\$ı	'+)ı	)\$ı
	# "	53,00	37,80	26,50

		Mecc Alte		
		ECO 38-1LN/4		
	Hz	50		
	"	250,00		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	361,00		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AJD 275	1970,00	2750,00	1300,00	1350,00	470,00
		fl ı		fl ı	
	"	"	"	"	L
MS 60	2680	3960	1356	2097	470



# AJD 275

John Deere  
Mecc Alte  
D+ &

f@#@Bt  
f@#@Bt

"z" "z" "z"

f@#@Bt

971

#

#

#

#

#

6G'9B'\*\$-\$)'\$

6G'9B'\*\$\$\$!\*!&

6G'9B'\*\$\$\$!\*!(

f&%) +t

f&)(, t

f&% \$t

GA 8

!&+""

%, !&\*(

)  
&(\$)

ž

ž

ž

# AJD 275

John Deere  
Mecc Alte  
D+ & "



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1356
fl "L	"	3960
fl "L	"	2097
	L	470